



«Audimute Sound Experiences Everywhere.

Strata Accent Wall







STRATA STONE TEXTURED ACCENT WALL TILEABLE STONE TEXTURED FINISH.


At Audimute, we have an innovative approach in creating extraordinary sound environments. We specialize in eliminating your sound problems; however, our goal is to design solutions that reflect your personal taste and style.

Our exclusive line of Strata Stone Textured Accent Wall brings robust elegance into your home or office Meticulously crafted from our trademarked acoustic absorption material eco-C-tex®, this product is one-of-a-kind.


Known for its' natural bands of texture playing throughout, the final appearance of Strata Stone Texture Accent Wall has normal irregularities that are considered part of the appeal. Variations in the appearance of texture and shading for example, create a distinctively interesting character that makes this product so unique. Strata Stone Texture Accent Wall delivers the aesthetics of rustic natural stone; therefore, variations are both normal and desirable. Key characteristics are a dense yet porous fine-grained appearance. Each piece is unique with textures occurring naturally. Finish the product with a single color of your choice or create a two tone accent wall. Chose from 1,000 of colors from our Sherwin Williams line or have us match any color to fit your décor.



audimute.com







Elevation: Strata Stone Texture Accent Wall



Finish Detail: Strata Stone Texture Accent Wall



STRATA STONE FLAT ACCENT WALL

TILEABLE STONE FLAT FINISH.

Strata Stone Flat Accent wall in many ways is the big brother to our Strata Stone Texture. It has a flat stone finish that compliments a refined style while adding intrigue to the surface via the varying depth of the product. Designed with accoustic affectiveness in mind without compromising design. Strata Stone comes in nine different two tone styles and is also available in a one color style. Call us for any custom color options.















Section: Strata Stone Flat Accent Wall



Elevation: Strata Stone Flat Accent Wall



Finish Detail: Strata Stone Flat Accent Wall



Specifications

STRATA ACCENT WALL

DEPTH: Strata Stone Textured = + - 1/2" - 3", Strata Stone Flat = 1", 1-1/2", 2"

THICKNESS TOLERANCE: +-1/8",

SQ. FT. QUANTITY: 35 sq. ft.

.....

FINISH OPTIONS: Two Tone AcoustiColor® Coating, Single Tone AcoustiColor® Coating

FACE STYLE: Stone Textured, Stone Flat

APPLICATION: Indoor Wall

CUTTING/ALTERATIONS: Sharp Utility Knife

INSTALLATION: Tape (included) Construction Adhesive (not included)

HANDLING/CARE: When handling make sure hands are clean and oil free. Vacuuming or

light brushing is recommended to prevent dust and soil buildup.

STORAGE: Must be stored in a dry place. Delivery Packaging is not ideal for stor-

age purposes. It is advised to place a polyethylene cover over the stack when packaging is removed, to reduce moisture absorption. It is recommended that product be stored horizontally. It is recommended that product should not be stacked. It is strongly recommended to avoid storage longer than 6 months. Do not allow water to come into direct contact with the material during storage. Store in a cool dry space

55°f-85°f.

FIRE RATING: ASTM E84 Class A.

COLOR FASTNESS TO LIGHT: Grade 4 min. at 40 hours

COLOR FASTNESS TO CROCK: Grade 4 min. dry & Grade 3 min. wet

ACOUSTIC RATING: NRC= **0.95**



AcoustiColor® Coating

ACOUSTICOLOR® COATING

THE CUSTOM POSSIBILITIES ARE ENDLESS.

There are 1,000's of color options to choose from Sherwin Williams' line of acoustical coatings. We can also match colors from other commercial paint manufacturers. Our coated acoustic products are made from recycled cotton and paper products which gives a unique textured finish.



*Color matching cannot be guarenteed across shipments from different orders and variation maybe more pronounced beyond the normal commercial range.



Two Tone AcoustiColor Coating Choose from 1,000's of colors from Sherwin Williams.




















Acoustic Testing

STRATA STONE ACCENT WALL

Frequency (Hz)	Absorption Coefficient
100	0.13
125	0.23
160	0.29
200	0.43
250	0.62
315	0.87
400	0.96
500	1.04
630	1.07
800	1.09
1000	1.11
1250	1.14
1600	1.10
2000	1.10
2500	1.09
3150	1.06
4000	1.07
5000	1.06

TEST REPORT



TEST Report Audimute 1-1/2" AcoustiColor® Product

The test report quotes the frequency dependent sound absorption data as well as the single number ratings. Data taken from Test Report RAL-A17-297 conducted by Riverbank Acoustical Laboratories. Complete test results are available upon request.



Adhesive Installation Instructions: STRATA STONE

LOCTITE POWER GRAB ADHESIVE (NOT INCLUDED) AND TAPE (INCLUDED):

